Technical data sheet

Service pole, type ISSHS140700

Item number: 6290040





ISS aluminium service pole, 2-compartment, with a 76.5 mm system opening.

Empty, equippable with standard devices (socket, telephone, etc.), max. 10 devices

Direct fastening on floor possible. Accessory mounting boxes to be ordered separately.

The service pole is suitable for accepting front locking accessory mounting boxes of the

series 71GD.... The installation of a partition of type GA-TW (6279711) and the installation of the cover clip, type KL80A, are possible as an option.





Aluminium

R/I	aste		1040
IVI	aste	u	ala


Item number	6290040
Description 1	Service pole
Description 2	floor
Manufacturer	OBO
Dimension	675x130x140
Colour	Pure white; RAL 9010
Material	Aluminium
Smallest sales unit	1
Unit of quantity	Piece
Weight	466 kg
Weight unit	kg/100 pc.

Technical data sheet

Service pole, type ISSHS140700

Item number: 6290040





Technical data sheet

Service pole, type ISSHS140700

Item number: 6290040



Technical data		
	Number of usable covers	2
	Number of compartments	2 St.
	Version for	Double-sided
	Fastening type	Bolts
	Floor mounting	yes
	Ceiling mounting	no
	Continuous profile	yes
	Halogen-free	yes
	Cable entry	Bottom
	Cover width	76.5 mm
	Changes according to location	no
	Pole shape	Rectangular
	Pole height, min.	675 mm
	Adjustable	no
	Pre-wired	no