


Technical data sheet

UZD/UGD 250 underfloor connection sockets

Item number: 7410045



Underfloor junction and branch box for 7 installation pipes on each side (M20 or M32) with sheet steel side walls. To mount installation units in the mounting lid (to be ordered separately). Height can be infinitely adjusted to the nominal screed height (rapid adjustment possible) and the screed can be worked flushed to the screed scraping edge. With noise decoupling option after screed laying and can be used with system accessories, also for heavy-duty application.



St Steel

FS Strip galvanized

Master data

| | |
|---------------------|-----------------------------|
| Item number | 7410045 |
| Type | UZD 170 250-3 R |
| Description 1 | Junction and branch box |
| Description 2 | for screed height 115-170mm |
| Manufacturer | OBO |
| Dimension | 410x367x115 |
| Material | Steel |
| Surface | Strip galvanized |
| Surface standard | DIN EN 10346 |
| Smallest sales unit | 1 |
| Unit of quantity | Piece |
| Weight | 480 kg |
| Weight unit | kg/100 pc. |

Technical data sheet

UZD/UGD 250 underfloor connection sockets


Item number: 7410045



Dimensions



| | |
|-------------|--------|
| Dimension a | 262 mm |
| Dimension A | 367 mm |
| Dimension B | 410 mm |
| Dimension b | 283 mm |



Technical data

| | |
|---|-----------------------|
| Floor plate | yes |
| Lowerable to be flush-floor | no |
| Cover version | Universal |
| Seal installation option | yes |
| Installation opening for on-floor tank | no |
| Decouplable | yes |
| Screed height, max. | 170 mm |
| Screed height, min. | 115 mm |
| For pipe connection | yes |
| Suitable for screed-flush closed underfloor ducts | no |
| Suitable for screed-covered underfloor ducts | no |
| Suitable for underfloor ducts | no |
| Installation space, max. | 16.16 dm ³ |
| Installation space, min. | 10.62 dm ³ |
| Minimum screed height | 115 |
| Nominal size | 250 mm |
| Height-adjustment range, max. | 170 mm |
| Height-adjustment range, min. | 115 mm |